

Table ENG-6. - Sanitary Facilities

Charlotte County, Virginia

The information in this table indicates the dominant soil condition, but does not eliminate the need for onsite investigation. The numbers in the value column range from 0.01 to 1.00. The larger the value, the greater the potential limitation. Limiting features in this report are limited to the top 5 limitations. Additional limitations may exist.

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
AbB:							
Abell	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.25
Worsham	5	Not Rated		Not Rated		Not Rated	
Ad:							
Alluvial Land	80	Not Rated		Not Rated		Not Rated	
AfA:							
Altavista	85	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Somewhat limited Depth to saturated zone	0.86
AfB:							
Altavista	85	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Somewhat limited Depth to saturated zone	0.86
AfC2:							
Altavista	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.86
AgB2:							
Appling	85	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
Worsham	3	Not Rated		Not Rated		Not Rated	
AgD2:							
Appling	85	Somewhat limited Too clayey Slope	0.50 0.37	Somewhat limited Slope	0.37	Somewhat limited Too clayey Slope	0.50 0.37
AgE2:							
Appling	85	Very limited Slope Too clayey	1.00 0.50	Very limited Slope	1.00	Very limited Slope Too clayey	1.00 0.50
AIB2:							
Appling	85	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50

Table ENG-6. - Sanitary Facilities - Continued

Charlotte County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
AIB2:							
Worsham	3	Not Rated		Not Rated		Not Rated	
AIC:							
Appling	85	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
AID2:							
Appling	85	Somewhat limited Too clayey Slope	0.50 0.37	Somewhat limited Slope	0.37	Somewhat limited Too clayey Slope	0.50 0.37
AIE2:							
Appling	85	Very limited Slope Too clayey	1.00 0.50	Very limited Slope	1.00	Very limited Slope Too clayey	1.00 0.50
AmB2:							
Appling	85	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
Worsham	3	Not Rated		Not Rated		Not Rated	
AmD2:							
Appling	85	Somewhat limited Too clayey Slope	0.50 0.37	Somewhat limited Slope	0.37	Somewhat limited Too clayey Slope	0.50 0.37
ApC3:							
Appling	85	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
ApE3:							
Appling	85	Very limited Slope Too clayey	1.00 0.50	Very limited Slope	1.00	Very limited Slope Too clayey	1.00 0.50
AuA:							
Augusta	85	Very limited Flooding Depth to saturated zone Too clayey	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Too clayey Depth to saturated zone	1.00 1.00
Roanoke	5	Not Rated		Not Rated		Not Rated	
AuB:							

Table ENG-6. - Sanitary Facilities - Continued

Charlotte County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
AuB:							
Augusta	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too clayey	1.00
		Too clayey	1.00	Flooding	0.40	Depth to saturated zone	1.00
		Flooding	0.40				
Bn:							
Buncombe	85	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Seepage	1.00
		Too Sandy	1.00	Seepage	1.00	Too Sandy	0.50
		Seepage	1.00				
Bt:							
Buncombe	45	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Seepage	1.00
		Too Sandy	1.00	Seepage	1.00	Too Sandy	0.50
		Seepage	1.00				
Toccoa	40	Very limited		Very limited		Somewhat limited	
		Flooding	1.00	Flooding	1.00	Seepage	0.50
		Depth to saturated zone	1.00	Depth to saturated zone	1.00		
		Seepage	1.00	Seepage	1.00		
Frequently flooded	5	Not Rated		Not Rated		Not Rated	
CcB2:							
Cecil	85	Somewhat limited		Not limited		Somewhat limited	
		Too clayey	0.50			Too clayey	0.50
CcD2:							
Cecil	85	Somewhat limited		Somewhat limited		Somewhat limited	
		Too clayey	0.50	Slope	0.37	Too clayey	0.50
		Slope	0.37			Slope	0.37
CcE2:							
Cecil	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Too clayey	0.50			Too clayey	0.50
CeB2:							
Cecil	85	Somewhat limited		Not limited		Somewhat limited	
		Too clayey	0.50			Too clayey	0.50
CeD2:							
Cecil	85	Somewhat limited		Somewhat limited		Somewhat limited	
		Too clayey	0.50	Slope	0.37	Too clayey	0.50
		Slope	0.37			Slope	0.37
CeE2:							

Table ENG-6. - Sanitary Facilities - Continued

Charlotte County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
CeE2:							
Cecil	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Too clayey	0.50			Too clayey	0.50
CfB2:							
Cecil	85	Somewhat limited		Not limited		Somewhat limited	
		Too clayey	0.50			Too clayey	0.50
CfD2:							
Cecil	85	Somewhat limited		Somewhat limited		Somewhat limited	
		Too clayey	0.50	Slope	0.37	Too clayey	0.50
		Slope	0.37			Slope	0.37
CfE2:							
Cecil	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Too clayey	0.50			Too clayey	0.50
CIB3:							
Cecil	85	Somewhat limited		Not limited		Somewhat limited	
		Too clayey	0.50			Too clayey	0.50
CID3:							
Cecil	85	Somewhat limited		Somewhat limited		Somewhat limited	
		Too clayey	0.50	Slope	0.37	Too clayey	0.50
		Slope	0.37			Slope	0.37
CIE3:							
Cecil	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Too clayey	0.50			Too clayey	0.50
CmB3:							
Cecil	85	Somewhat limited		Not limited		Somewhat limited	
		Too clayey	0.50			Too clayey	0.50
CmD3:							
Cecil	85	Somewhat limited		Somewhat limited		Somewhat limited	
		Too clayey	0.50	Slope	0.37	Too clayey	0.50
		Slope	0.37			Slope	0.37
Cn:							
Chewacla	85	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Depth to saturated	1.00
		Depth to saturated	1.00	Depth to saturated	1.00	zone	
		Seepage	1.00				
Wehadkee	5	Not Rated		Not Rated		Not Rated	

Table ENG-6. - Sanitary Facilities - Continued

Charlotte County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
CoB:							
Colfax	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Depth to thin cemented pan	0.50	Depth to saturated zone	1.00	Depth to saturated zone	1.00
Worsham	5	Not Rated		Not Rated		Not Rated	
Cr:							
Congaree	85	Very limited		Very limited		Somewhat limited	
		Flooding	1.00	Flooding	1.00	Depth to saturated zone	0.02
		Depth to saturated zone	1.00	Depth to saturated zone	1.00		
Chewacla	5	Not Rated		Not Rated		Not Rated	
CsB2:							
Creedmoor	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too clayey	1.00
		Too clayey	1.00			Depth to saturated zone	1.00
CsC2:							
Creedmoor	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too clayey	1.00
		Too clayey	1.00			Depth to saturated zone	1.00
Worsham	3	Not Rated		Not Rated		Not Rated	
CuB2:							
Cullen	85	Somewhat limited		Not limited		Somewhat limited	
		Too clayey	0.50			Too clayey	0.50
CuD2:							
Cullen	85	Somewhat limited		Somewhat limited		Somewhat limited	
		Too clayey	0.50	Slope	0.37	Too clayey	0.50
		Slope	0.37			Slope	0.37
CuE2:							
Cullen	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Too clayey	0.50			Too clayey	0.50
CvB3:							
Cullen	85	Somewhat limited		Not limited		Somewhat limited	
		Too clayey	0.50			Too clayey	0.50
CvD3:							

Table ENG-6. - Sanitary Facilities - Continued

Charlotte County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
CvD3:							
Cullen	85	Somewhat limited		Somewhat limited		Somewhat limited	
		Too clayey	0.50	Slope	0.37	Too clayey	0.50
		Slope	0.37			Slope	0.37
EnB2:							
Enon	85	Very limited		Somewhat limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	0.96	Too clayey	1.00
		Too clayey	1.00			Depth to bedrock	0.96
						Gravel content	0.05
EnC2:							
Enon	85	Very limited		Somewhat limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	0.96	Too clayey	1.00
		Too clayey	1.00			Depth to bedrock	0.96
						Gravel content	0.05
EoC3:							
Enon	85	Very limited		Somewhat limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	0.96	Too clayey	1.00
		Too clayey	1.00			Depth to bedrock	0.96
						Gravel content	0.05
GeB2:							
Georgeville	85	Somewhat limited		Not limited		Somewhat limited	
		Too clayey	0.50			Too clayey	0.50
GeD2:							
Georgeville	85	Somewhat limited		Somewhat limited		Somewhat limited	
		Too clayey	0.50	Slope	0.37	Too clayey	0.50
		Slope	0.37			Slope	0.37
Worsham	3	Not Rated		Not Rated		Not Rated	
GeE2:							
Georgeville	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Too clayey	0.50			Too clayey	0.50
GgB3:							
Georgeville	85	Somewhat limited		Not limited		Somewhat limited	
		Too clayey	0.50			Too clayey	0.50
GgD3:							
Georgeville	85	Somewhat limited		Somewhat limited		Somewhat limited	
		Too clayey	0.50	Slope	0.37	Too clayey	0.50
		Slope	0.37			Slope	0.37
Worsham	3	Not Rated		Not Rated		Not Rated	
GoC:							

Table ENG-6. - Sanitary Facilities - Continued

Charlotte County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
GoC:							
Goldston	85	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00	Seepage	1.00	Seepage	0.50
						Gravel content	0.04
GoD:							
Goldston	85	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00	Seepage	1.00	Slope	0.84
		Slope	0.84	Slope	0.84	Seepage	0.50
GoF:							
Goldston	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Seepage	0.50
GrB2:							
Grover	85	Not limited		Not limited		Not limited	
GrD2:							
Grover	85	Somewhat limited		Somewhat limited		Somewhat limited	
		Slope	0.37	Slope	0.37	Slope	0.37
GuE:							
Gullied land	50	Not Rated		Not Rated		Not Rated	
Cecil	30	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Too clayey	0.50			Too clayey	0.50
HeB:							
Helena	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too clayey	1.00
		Too clayey	1.00			Depth to saturated zone	1.00
HeC2:							
Helena	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too clayey	1.00
		Too clayey	1.00			Depth to saturated zone	1.00
HfB2:							
Helena	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too clayey	1.00
		Too clayey	1.00			Depth to saturated zone	1.00

HfC2:

Table ENG-6. - Sanitary Facilities - Continued

Charlotte County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
HfC2:							
Helena	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too clayey	1.00
		Too clayey	1.00			Depth to saturated zone	1.00
HnB2:							
Herndon	85	Somewhat limited		Not limited		Somewhat limited	
		Too clayey	0.50			Too clayey	0.50
HnD2:							
Herndon	85	Somewhat limited		Somewhat limited		Somewhat limited	
		Too clayey	0.50	Slope	0.37	Too clayey	0.50
		Slope	0.37			Slope	0.37
HrB3:							
Herndon	85	Not limited		Not limited		Somewhat limited	
						Too clayey	0.50
						Hard to compact	0.50
Worsham	3	Not Rated		Not Rated		Not Rated	
HrD3:							
Herndon	85	Somewhat limited		Somewhat limited		Somewhat limited	
		Slope	0.37	Slope	0.37	Too clayey	0.50
						Hard to compact	0.50
						Slope	0.37
IrB:							
Iredell	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too clayey	1.00
		Depth to bedrock	1.00	Depth to bedrock	0.61	Depth to saturated zone	1.00
		Too clayey	1.00			Depth to bedrock	0.61
IrB2:							
Iredell	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too clayey	1.00
		Depth to bedrock	1.00	Depth to bedrock	0.61	Depth to saturated zone	1.00
		Too clayey	1.00			Depth to bedrock	0.61
IrC2:							
Iredell	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too clayey	1.00
		Depth to bedrock	1.00	Depth to bedrock	0.61	Depth to saturated zone	1.00
		Too clayey	1.00			Depth to bedrock	0.61

LoD:

Table ENG-6. - Sanitary Facilities - Continued

Charlotte County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
LoD:							
Louisa	85	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00	Slope	0.37	Seepage	0.50
		Slope	0.37			Slope	0.37
LoF:							
Louisa	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Seepage	1.00			Seepage	0.50
LsE3:							
Louisa	70	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Seepage	1.00			Seepage	0.50
Louisburg	20	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Seepage	1.00	Slope	1.00
		Seepage	1.00	Depth to bedrock	1.00	Seepage	1.00
LuC:							
Louisburg	85	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Seepage	1.00	Depth to bedrock	1.00
		Seepage	1.00	Depth to bedrock	1.00	Seepage	1.00
LuD:							
Louisburg	85	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Seepage	1.00	Depth to bedrock	1.00
		Seepage	1.00	Depth to bedrock	1.00	Seepage	1.00
		Slope	0.84	Slope	0.84	Slope	0.84
LuF:							
Louisburg	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Seepage	1.00	Slope	1.00
		Seepage	1.00	Depth to bedrock	1.00	Seepage	1.00
MaB2:							
Madison	85	Very limited		Somewhat limited		Somewhat limited	
		Depth to bedrock	1.00	Depth to bedrock	0.26	Hard to compact	0.50
		Too clayey	0.50			Depth to bedrock	0.26
MaD2:							
Madison	85	Very limited		Somewhat limited		Somewhat limited	
		Depth to bedrock	1.00	Slope	0.37	Hard to compact	0.50
		Too clayey	0.50	Depth to bedrock	0.26	Slope	0.37
		Slope	0.37			Depth to bedrock	0.26

Table ENG-6. - Sanitary Facilities - Continued

Charlotte County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
McB3:							
Madison	85	Very limited		Somewhat limited		Somewhat limited	
		Depth to bedrock	1.00	Depth to bedrock	0.26	Hard to compact	0.50
		Too clayey	0.50			Depth to bedrock	0.26
McD3:							
Madison	85	Very limited		Somewhat limited		Somewhat limited	
		Depth to bedrock	1.00	Slope	0.37	Hard to compact	0.50
		Too clayey	0.50	Depth to bedrock	0.26	Slope	0.37
		Slope	0.37			Depth to bedrock	0.26
MdE2:							
Madison	50	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	0.26	Hard to compact	0.50
		Too clayey	0.50			Depth to bedrock	0.26
Grover	30	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
MeB2:							
Masada	85	Very limited		Not limited		Very limited	
		Too clayey	1.00			Too clayey	1.00
MeD2:							
Masada	85	Very limited		Somewhat limited		Very limited	
		Too clayey	1.00	Slope	0.37	Too clayey	1.00
		Slope	0.37			Slope	0.37
MeE:							
Masada	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Too clayey	1.00			Too clayey	1.00
MfB2:							
Mayodan	85	Very limited		Somewhat limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	0.26	Too clayey	1.00
		Too clayey	1.00			Depth to bedrock	0.26
MfD2:							
Mayodan	85	Very limited		Somewhat limited		Very limited	
		Depth to bedrock	1.00	Slope	0.37	Too clayey	1.00
		Too clayey	1.00	Depth to bedrock	0.26	Slope	0.37
		Slope	0.37			Depth to bedrock	0.26
MkB2:							
Mecklenburg	85	Very limited		Somewhat limited		Somewhat limited	
		Depth to bedrock	1.00	Depth to bedrock	0.26	Too clayey	0.50
		Too clayey	0.50			Depth to bedrock	0.26
MkC2:							

Table ENG-6. - Sanitary Facilities - Continued

Charlotte County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
MkC2:							
Mecklenburg	85	Very limited		Somewhat limited		Somewhat limited	
		Depth to bedrock	1.00	Depth to bedrock	0.26	Too clayey	0.50
		Too clayey	0.50	Slope	0.04	Depth to bedrock	0.26
		Slope	0.04			Slope	0.04
MIB:							
Mecklenburg variant	85	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Too clayey	0.50			Too clayey	0.50
MIC:							
Mecklenburg variant	85	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Too clayey	0.50			Too clayey	0.50
MIE:							
Mecklenburg variant	85	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	1.00	Slope	1.00
		Too clayey	0.50			Too clayey	0.50
MIE3:							
Mecklenburg variant	85	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	1.00	Slope	1.00
		Too clayey	0.50			Too clayey	0.50
OrB:							
Orange	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too clayey	1.00
		Depth to bedrock	1.00	Depth to bedrock	0.61	Depth to saturated zone	1.00
		Too clayey	1.00			Depth to bedrock	0.61
Worsham	3	Not Rated		Not Rated		Not Rated	
OrB2:							
Orange	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too clayey	1.00
		Depth to bedrock	1.00	Depth to bedrock	0.61	Depth to saturated zone	1.00
		Too clayey	1.00			Depth to bedrock	0.61
Worsham	3	Not Rated		Not Rated		Not Rated	
OrC2:							

Table ENG-6. - Sanitary Facilities - Continued

Charlotte County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
OrC2:							
Orange	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too clayey	1.00
		Depth to bedrock	1.00	Depth to bedrock	0.61	Depth to saturated zone	1.00
		Too clayey	1.00			Depth to bedrock	0.61
Worsham	3	Not Rated		Not Rated		Not Rated	
PaB2:							
Pacolet	85	Very limited		Somewhat limited		Somewhat limited	
		Depth to bedrock	1.00	Depth to bedrock	0.01	Hard to compact	0.50
		Too clayey	0.50			Depth to bedrock	0.01
PaD2:							
Pacolet	85	Very limited		Somewhat limited		Somewhat limited	
		Depth to bedrock	1.00	Slope	0.37	Hard to compact	0.50
		Too clayey	0.50	Depth to bedrock	0.01	Slope	0.37
		Slope	0.37			Depth to bedrock	0.01
PaE2:							
Pacolet	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	0.01	Hard to compact	0.50
		Too clayey	0.50			Depth to bedrock	0.01
PcC3:							
Pacolet	85	Very limited		Somewhat limited		Somewhat limited	
		Depth to bedrock	1.00	Depth to bedrock	0.26	Hard to compact	0.50
		Too clayey	0.50			Depth to bedrock	0.26
PcD3:							
Pacolet	85	Very limited		Somewhat limited		Somewhat limited	
		Depth to bedrock	1.00	Slope	0.84	Slope	0.84
		Slope	0.84	Depth to bedrock	0.26	Hard to compact	0.50
		Too clayey	0.50			Depth to bedrock	0.26
PkC:							
Pinkston	85	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00	Seepage	1.00	Seepage	0.50
PkE:							
Pinkston	85	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Seepage	0.50

Ro:

Table ENG-6. - Sanitary Facilities - Continued

Charlotte County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Ro:							
Roanoke	85	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too clayey	1.00
		Too clayey	1.00				
SrB:							
Starr	85	Somewhat limited		Somewhat limited		Somewhat limited	
		Too clayey	0.50	Flooding	0.40	Too clayey	0.50
		Flooding	0.40				
StB:							
State	85	Very limited		Very limited		Not limited	
		Flooding	1.00	Flooding	1.00		
		Seepage	1.00				
Wet spots	3	Not Rated		Not Rated		Not Rated	
To:							
Toccoa	85	Very limited		Very limited		Somewhat limited	
		Flooding	1.00	Flooding	1.00	Seepage	0.50
		Depth to saturated zone	1.00	Depth to saturated zone	1.00		
		Seepage	1.00	Seepage	1.00		
TuB2:							
Turbeville	85	Somewhat limited		Not limited		Somewhat limited	
		Too clayey	0.50			Too clayey	0.50
						Hard to compact	0.50
TuD2:							
Turbeville	85	Somewhat limited		Somewhat limited		Somewhat limited	
		Too clayey	0.50	Slope	0.37	Too clayey	0.50
		Slope	0.37			Hard to compact	0.50
						Slope	0.37
TuF2:							
Turbeville	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Too clayey	0.50			Too clayey	0.50
						Hard to compact	0.50
TvB3:							
Turbeville	85	Somewhat limited		Not limited		Somewhat limited	
		Too clayey	0.50			Too clayey	0.50
						Hard to compact	0.50
TvD3:							

Table ENG-6. - Sanitary Facilities - Continued

Charlotte County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
TvD3:							
Turbeville	85	Somewhat limited		Somewhat limited		Somewhat limited	
		Too clayey	0.50	Slope	0.37	Too clayey	0.50
		Slope	0.37			Hard to compact	0.50
						Slope	0.37
VaB2:							
Vance	85	Very limited		Somewhat limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	0.26	Too clayey	1.00
		Too clayey	1.00			Depth to bedrock	0.26
Worsham	3	Not Rated		Not Rated		Not Rated	
VaD2:							
Vance	85	Very limited		Somewhat limited		Very limited	
		Depth to bedrock	1.00	Slope	0.37	Too clayey	1.00
		Too clayey	1.00	Depth to bedrock	0.26	Slope	0.37
		Slope	0.37			Depth to bedrock	0.26
VcB2:							
Vance	85	Very limited		Somewhat limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	0.26	Too clayey	1.00
		Too clayey	1.00			Depth to bedrock	0.26
Worsham	3	Not Rated		Not Rated		Not Rated	
VcC2:							
Vance	85	Very limited		Somewhat limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	0.26	Too clayey	1.00
		Too clayey	1.00			Depth to bedrock	0.26
VcD2:							
Vance	85	Very limited		Somewhat limited		Very limited	
		Depth to bedrock	1.00	Slope	0.84	Too clayey	1.00
		Too clayey	1.00	Depth to bedrock	0.26	Slope	0.84
		Slope	0.84			Depth to bedrock	0.26
WdB2:							
Wedowee	85	Very limited		Somewhat limited		Somewhat limited	
		Depth to bedrock	1.00	Depth to bedrock	0.61	Depth to bedrock	0.61
		Too clayey	0.50			Hard to compact	0.50
WdD2:							
Wedowee	85	Very limited		Somewhat limited		Somewhat limited	
		Depth to bedrock	1.00	Depth to bedrock	0.61	Depth to bedrock	0.61
		Too clayey	0.50	Slope	0.37	Hard to compact	0.50
		Slope	0.37			Slope	0.37

We:

Table ENG-6. - Sanitary Facilities - Continued

Charlotte County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
We:							
Wehadkee	85	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00		
Wh:							
Wehadkee	85	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00		
Roanoke	5	Not Rated		Not Rated		Not Rated	
Wet spots	3	Not Rated		Not Rated		Not Rated	
Wk:							
Wehadkee	45	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00		
Chewacla	40	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00		
		Seepage	1.00				
WIB:							
Wickham	85	Very limited		Not limited		Not limited	
		Seepage	1.00				
WIC2:							
Wickham	85	Very limited		Not limited		Not limited	
		Seepage	1.00				
WmB:							
Wilkes	85	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Too clayey	1.00			Too clayey	1.00
WmD:							
Wilkes	85	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Too clayey	1.00	Slope	0.37	Too clayey	1.00
		Slope	0.37			Slope	0.37
WmF:							

Table ENG-6. - Sanitary Facilities - Continued

Charlotte County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
WmF:							
Wilkes	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Too clayey	1.00			Too clayey	1.00
WnC3:							
Wilkes	85	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Too clayey	1.00			Too clayey	1.00
WnF3:							
Wilkes	85	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Too clayey	1.00	Slope	1.00	Too clayey	1.00
		Slope	1.00			Slope	1.00
Wo:							
Worsham	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Too clayey	1.00			Too clayey	1.00
Wr:							
Worsham variant	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Too clayey	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
						Too clayey	1.00